



## juvenile myoclonic epilepsy

Juvenile myoclonic epilepsy is a condition characterized by recurrent seizures (epilepsy). This condition begins in childhood or adolescence, usually between ages 12 and 18, and lasts into adulthood. The most common type of seizure in people with this condition is myoclonic seizures, which cause rapid, uncontrolled muscle jerks. People with this condition may also have generalized tonic-clonic seizures (also known as grand mal seizures), which cause muscle rigidity, convulsions, and loss of consciousness. Sometimes, affected individuals have absence seizures, which cause loss of consciousness for a short period that appears as a staring spell. Typically, people with juvenile myoclonic epilepsy develop the characteristic myoclonic seizures in adolescence, then develop generalized tonic-clonic seizures a few years later. Although seizures can happen at any time, they occur most commonly in the morning, shortly after awakening. Seizures can be triggered by a lack of sleep, extreme tiredness, stress, or alcohol consumption.

### Frequency

Juvenile myoclonic epilepsy affects an estimated 1 in 1,000 people worldwide. Approximately 5 percent of people with epilepsy have juvenile myoclonic epilepsy.

### Genetic Changes

The genetics of juvenile myoclonic epilepsy are complex and not completely understood. Mutations in one of several genes can cause or increase susceptibility to this condition. The most studied of these genes are the *GABRA1* gene and the *EFHC1* gene, although mutations in at least three other genes have been identified in people with this condition. Many people with juvenile myoclonic epilepsy do not have mutations in any of these genes. Changes in other, unidentified genes are likely involved in this condition.

A mutation in the *GABRA1* gene has been identified in several members of a large family with juvenile myoclonic epilepsy. The *GABRA1* gene provides instructions for making one piece, the alpha-1 ( $\alpha 1$ ) subunit, of the GABA<sub>A</sub> receptor protein. The GABA<sub>A</sub> receptor acts as a channel that allows negatively charged chlorine atoms (chloride ions) to cross the cell membrane. After infancy, the influx of chloride ions creates an environment in the cell that inhibits signaling between nerve cells (neurons) and prevents the brain from being overloaded with too many signals. Mutations in the *GABRA1* gene lead to an altered  $\alpha 1$  subunit and a decrease in the number of GABA<sub>A</sub> receptors available. As a result, the signaling between neurons is not controlled, which can lead to overstimulation of neurons. Researchers believe that the overstimulation

of certain neurons in the brain triggers the abnormal brain activity associated with seizures.

Mutations in the *EFHC1* gene have been associated with juvenile myoclonic epilepsy in a small number of people. The *EFHC1* gene provides instructions for making a protein that also plays a role in neuron activity, although its function is not completely understood. The EFHC1 protein is attached to another protein that acts as a calcium channel. This protein allows positively charged calcium ions to cross the cell membrane. The movement of these ions is critical for normal signaling between neurons. The EFHC1 protein is thought to help regulate the balance of calcium ions inside the cell, although the mechanism is unclear. In addition, studies show that the EFHC1 protein may be involved in the self-destruction of cells. *EFHC1* gene mutations reduce the function of the EFHC1 protein. Researchers suggest that this reduction causes an increase in the number of neurons and disrupts the calcium balance. Together, these effects may lead to overstimulation of neurons and trigger seizures.

### **Inheritance Pattern**

The inheritance pattern of juvenile myoclonic epilepsy is not completely understood. When the condition is caused by mutations in the *GABRA1* gene, it is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder. The inheritance pattern of juvenile myoclonic epilepsy caused by mutations in the *EFHC1* gene is not known.

Although juvenile myoclonic epilepsy can run in families, many cases occur in people with no family history of the disorder.

### **Other Names for This Condition**

- adolescent myoclonic epilepsy
- Janz syndrome
- petit mal, impulsive

### **Diagnosis & Management**

These resources address the diagnosis or management of juvenile myoclonic epilepsy:

- Genetic Testing Registry: Epilepsy with grand mal seizures on awakening  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0393697/>
- Genetic Testing Registry: Epilepsy, idiopathic generalized 10  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C2751603/>
- Genetic Testing Registry: Epilepsy, idiopathic generalized 9  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C2750887/>
- Genetic Testing Registry: Epilepsy, juvenile myoclonic 5  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C2749942/>

- Genetic Testing Registry: Epilepsy, juvenile myoclonic 9  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C3280332/>
- Genetic Testing Registry: Juvenile myoclonic epilepsy  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1850778/>
- Merck Manual Consumer Version: Seizure Disorders  
<http://www.merckmanuals.com/home/brain-spinal-cord-and-nerve-disorders/seizure-disorders/seizure-disorders?qt=&sc=&alt=>

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests  
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy  
<https://medlineplus.gov/drugtherapy.html>
- Surgery and Rehabilitation  
<https://medlineplus.gov/surgeryandrehabilitation.html>
- Genetic Counseling  
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care  
<https://medlineplus.gov/palliativecare.html>

## **Additional Information & Resources**

### MedlinePlus

- Encyclopedia: Generalized Tonic-Clonic Seizure  
<https://medlineplus.gov/ency/article/000695.htm>
- Encyclopedia: Petit Mal Seizures  
<https://medlineplus.gov/ency/article/000696.htm>
- Health Topic: Epilepsy  
<https://medlineplus.gov/epilepsy.html>
- Health Topic: Seizures  
<https://medlineplus.gov/seizures.html>

### Genetic and Rare Diseases Information Center

- Juvenile myoclonic epilepsy  
<https://rarediseases.info.nih.gov/diseases/6808/juvenile-myoclonic-epilepsy>

### Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Myoclonus Fact Sheet  
<https://www.ninds.nih.gov/Disorders/All-Disorders/Myoclonus-Information-Page>
- National Institute of Neurological Disorders and Stroke: Seizures and Epilepsy: Hope Through Research  
<https://www.ninds.nih.gov/Disorders/Patient-Caregiver-Education/Hope-Through-Research/Epilepsies-and-Seizures-Hope-Through>

### Educational Resources

- Disease InfoSearch: Juvenile myoclonic epilepsy  
<http://www.diseaseinfosearch.org/Juvenile+myoclonic+epilepsy/3937>
- KidsHealth from Nemours: Seizures  
<http://kidshealth.org/en/parents/seizure.html>
- MalaCards: efhc1-related juvenile myoclonic epilepsy  
[http://www.malacards.org/card/efhc1\\_related\\_juvenile\\_myoclonic\\_epilepsy](http://www.malacards.org/card/efhc1_related_juvenile_myoclonic_epilepsy)
- MalaCards: gabra1-related juvenile myoclonic epilepsy  
[http://www.malacards.org/card/gabra1\\_related\\_juvenile\\_myoclonic\\_epilepsy](http://www.malacards.org/card/gabra1_related_juvenile_myoclonic_epilepsy)
- The Hospital for Sick Children, aboutkidshealth  
<http://www.aboutkidshealth.ca/En/ResourceCentres/Epilepsy/UnderstandingEpilepsyDiagnosis/EpilepsySyndromes/Pages/Juvenile-Myoclonic-Epilepsy.aspx>
- University of Wisconsin  
<http://www.uwhealth.org/healthfacts/neuro/7292.html>

### Patient Support and Advocacy Resources

- American Epilepsy Society  
<https://www.aesnet.org/>
- Epilepsy Society (UK)  
<https://www.epilepsysociety.org.uk/>

### Genetic Testing Registry

- Epilepsy with grand mal seizures on awakening  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0393697/>
- Epilepsy, idiopathic generalized 9  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C2750887/>
- Epilepsy, idiopathic generalized 10  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C2751603/>

- Epilepsy, juvenile myoclonic 5  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C2749942/>
- Epilepsy, juvenile myoclonic 9  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C3280332/>
- Juvenile myoclonic epilepsy  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1850778/>

#### ClinicalTrials.gov

- ClinicalTrials.gov  
<https://clinicaltrials.gov/ct2/results?cond=%22juvenile+myoclonic+epilepsy%22>

#### Scientific articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Myoclonic+Epilepsy,+Juvenile%5BMAJR%5D%29+AND+%28juvenile+myoclonic+epilepsy%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+720+days%22%5Bdp%5D>

#### OMIM

- EPILEPSY, IDIOPATHIC GENERALIZED, SUSCEPTIBILITY TO, 9  
<http://omim.org/entry/607682>
- EPILEPSY, IDIOPATHIC GENERALIZED, SUSCEPTIBILITY TO, 10  
<http://omim.org/entry/613060>
- EPILEPSY, IDIOPATHIC GENERALIZED, SUSCEPTIBILITY TO, 11  
<http://omim.org/entry/607628>
- EPILEPSY, IDIOPATHIC GENERALIZED, SUSCEPTIBILITY TO, 13  
<http://omim.org/entry/611136>
- EPILEPSY, JUVENILE MYOCLONIC, SUSCEPTIBILITY TO, 9  
<http://omim.org/entry/614280>
- EPILEPSY, MYOCLONIC JUVENILE  
<http://omim.org/entry/254770>

## Sources for This Summary

- Cossette P, Liu L, Brisebois K, Dong H, Lortie A, Vanasse M, Saint-Hilaire JM, Carmant L, Verner A, Lu WY, Wang YT, Rouleau GA. Mutation of GABRA1 in an autosomal dominant form of juvenile myoclonic epilepsy. *Nat Genet.* 2002 Jun;31(2):184-9. Epub 2002 May 6.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/11992121>
- Ding L, Feng HJ, Macdonald RL, Botzolakis EJ, Hu N, Gallagher MJ. GABA(A) receptor alpha1 subunit mutation A322D associated with autosomal dominant juvenile myoclonic epilepsy reduces the expression and alters the composition of wild type GABA(A) receptors. *J Biol Chem.* 2010 Aug 20;285(34):26390-405. doi: 10.1074/jbc.M110.142299. Epub 2010 Jun 15.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/20551311>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2924069/>
- Gallagher MJ, Ding L, Maheshwari A, Macdonald RL. The GABAA receptor alpha1 subunit epilepsy mutation A322D inhibits transmembrane helix formation and causes proteasomal degradation. *Proc Natl Acad Sci U S A.* 2007 Aug 7;104(32):12999-3004. Epub 2007 Aug 1.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/17670950>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1941799/>
- Krampfl K, Maljevic S, Cossette P, Ziegler E, Rouleau GA, Lerche H, Bufler J. Molecular analysis of the A322D mutation in the GABA receptor alpha-subunit causing juvenile myoclonic epilepsy. *Eur J Neurosci.* 2005 Jul;22(1):10-20.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/16029191>
- Suzuki T, Delgado-Escueta AV, Aguan K, Alonso ME, Shi J, Hara Y, Nishida M, Numata T, Medina MT, Takeuchi T, Morita R, Bai D, Ganesh S, Sugimoto Y, Inazawa J, Bailey JN, Ochoa A, Jara-Prado A, Rasmussen A, Ramos-Peek J, Cordova S, Rubio-Donnadieu F, Inoue Y, Osawa M, Kaneko S, Oguni H, Mori Y, Yamakawa K. Mutations in EFHC1 cause juvenile myoclonic epilepsy. *Nat Genet.* 2004 Aug;36(8):842-9. Epub 2004 Jul 18.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/15258581>

---

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/juvenile-myoclonic-epilepsy>

Reviewed: September 2015

Published: January 24, 2017

Lister Hill National Center for Biomedical Communications  
U.S. National Library of Medicine  
National Institutes of Health  
Department of Health & Human Services